



برگه آنالیز محصول

Product Name: Mixed-Xylene

CAS No: 1330-20-7

Property	Units	Test Method	Value
Appearance	--	VISUAL	Clear, Free of Haze/ Sediment
Density @(15.6 °C)	gr/ cm <sup>3</sup>	ASTM D-4052	TO BE REPORTED
Color, pt-Co Scale	--	ASTM D-1209	10 max
Acid Wash Color	--	ASTM D-848	6 max
Acidity	Mgr NaOH/ 100 ml	ASTM D-847	NO Free Acid
Copper Corrosion	--	ASTM D-849	No. 1a



H <sub>2</sub> S & SO <sub>2</sub> Content	--	ASTM D-853	Free of (H <sub>2</sub> S/ SO <sub>2</sub> )
Distillation Range @ 760 mmHg	°C	ASTM D-850	5 max
I.B.P	°C	ASTM D-850	137 min
D.P	°C	ASTM D-850	143 max
Para Xylene	Wt%	ASTM D-2306	16.5 min
Ortho Xylene	Wt%	ASTM D-2306	15 min
Ethyl Benzene	Wt%	ASTM D-2306	18.5 min
Metha Xylene	Wt%	ASTM D-2360	49 max
Benzene	Wt%	ASTM D-2360	0.005 max
Toluene	Wt%	ASTM D-2360	0.04 max



C9 Aromatics	Wt%	ASTM D-2360	0.5 max
Non Aromatics	Wt%	ASTM D-2360	0.05 max
Total Sulfur	Wt. ppm	UOP 727	1 max
Total chlorides	Wt. ppm	IP-AK/81	1 max
Bromine Index	mgt/ 100 gr	IP-129(MODIFIED)	20 max

Shipping: Bulk carrier